

Package ‘resmush’

February 2, 2024

Title Optimize and Compress Image Files with 'reSmush.it'

Version 0.1.0

Description Compress local and online images using the 'reSmush.it' API service <<https://resmush.it/>>.

License MIT + file LICENSE

URL <https://dieghernan.github.io/resmush/>,
<https://github.com/dieghernan/resmush>

BugReports <https://github.com/dieghernan/resmush/issues>

Depends R (>= 3.6.0)

Imports cli, curl, httr2 (>= 1.0.0), tools, utils

Suggests grid, knitr, png, rmarkdown, testthat (>= 3.0.0)

VignetteBuilder knitr

Config/Needs/website dieghernan/gitdevr, xfun, dplyr, tibble, devtools

Config/testthat/edition 3

Config/testthat/parallel true

Encoding UTF-8

RoxygenNote 7.3.1

X-schema.org-keywords r, compress-images, optimize-images, resmushit,
api

NeedsCompilation no

Author Diego Hernangómez [aut, cre, cph]
(<<https://orcid.org/0000-0001-8457-4658>>)

Maintainer Diego Hernangómez <diego.hernangomezherrero@gmail.com>

Repository CRAN

Date/Publication 2024-02-02 19:50:02 UTC

R topics documented:

resmush_dir	2
resmush_file	4
resmush_url	5

Index	8
--------------	----------

resmush_dir	<i>Optimize files of several directories</i>
-------------	--

Description

Optimize all the local files of a directory (or list of directories) using the [reSmush.it API](#).

Usage

```
resmush_dir(
  dir,
  ext = "\\.(png|jpe?g|bmp|gif|tif|webp)$",
  suffix = "_resmush",
  overwrite = FALSE,
  progress = TRUE,
  report = TRUE,
  recursive = FALSE,
  ...
)
```

Arguments

dir	Character or vector of characters representing paths of local directories.
ext	regex indicating the extensions of the files to be optimized. The default value would capture all the extensions admitted by the API.
suffix	Character, defaults to "_resmush". By default, a new file with the suffix is created in the same directory (i.e., optimized example.png would be example_resmush.png). Values "", NA and NULL would be the same than overwrite = TRUE.
overwrite	Logical. Should the files in dir be overwritten? If TRUE suffix would be ignored.
progress	Logical. Display a progress bar when needed.
report	Logical. Display a summary report of the process in the console. See also Value .
recursive	Logical. Should the dir file search recursive? See also list.files() .
...	Arguments passed on to resmush_file
qlty	Only affects jpg files. Integer between 0 and 100 indicating the optimization level. For optimal results use vales above 90.
exif_preserve	Logical. Should the Exif information (if any) deleted? Default is to remove (i.e. exif_preserve = FALSE).

Value

Writes on disk the optimized file if the API call is successful in the directories specified in `dir`.

In all cases, a (invisible) data frame with a summary of the process is returned as well.

See Also

[reSmush.it API docs](#).

See [resmush_clean_dir\(\)](#) to clean a directory of previous runs.

Other functions for optimizing: [resmush_file\(\)](#), [resmush_url\(\)](#)

Examples

```
# Get example dir and copy
example_dir <- system.file("extimg", package = "resmush")
temp_dir <- tempdir()
file.copy(example_dir, temp_dir, recursive = TRUE)

# Dest folder
dest_folder <- file.path(tempdir(), "extimg")

# Non-recursive
resmush_dir(dest_folder)
resmush_clean_dir(dest_folder)

# Recursive
summary <- resmush_dir(dest_folder, recursive = TRUE)

# Same info in the invisible df
summary[, -c(1, 2)]

# Display with png
if (require("png", quietly = TRUE)) {
  a_png <- grepl("png$", summary$dest_img)
  my_png <- png::readPNG(summary[a_png, ]$dest_img[2])
  grid::grid.raster(my_png)
}

# Clean up example
unlink(dest_folder, force = TRUE, recursive = TRUE)
```

 resmush_file

Optimize a local file

Description

Optimize local images using the [reSmush.it API](#).

Usage

```
resmush_file(
  file,
  suffix = "_resmush",
  overwrite = FALSE,
  progress = TRUE,
  report = TRUE,
  qlty = 92,
  exif_preserve = FALSE
)
```

Arguments

file	Path or paths to local files. reSmush can optimize the following image files: <ul style="list-style-type: none"> • png • jpg/jpeg • gif • bmp • tiff • webp
suffix	Character, defaults to "_resmush". By default, a new file with the suffix is created in the same directory than file. (i.e., optimized example.png would be example_resmush.png). Values "", NA and NULL would be the same than overwrite = TRUE.
overwrite	Logical. Should the file in file be overwritten? If TRUE suffix would be ignored.
progress	Logical. Display a progress bar when needed.
report	Logical. Display a summary report of the process in the console. See also Value .
qlty	Only affects jpg files. Integer between 0 and 100 indicating the optimization level. For optimal results use vales above 90.
exif_preserve	Logical. Should the Exif information (if any) deleted? Default is to remove (i.e. exif_preserve = FALSE).

Value

Writes on disk the optimized file if the API call is successful in the same directory than file.

With the option report = TRUE a summary report is displayed in the console. In all cases, a (invisible) data frame with a summary of the process used for generate the report is returned.

See Also

[reSmush.it API docs](#).

See [resmush_clean_dir\(\)](#) to clean a directory of previous runs.

Other functions for optimizing: [resmush_dir\(\)](#), [resmush_url\(\)](#)

Examples

```
png_file <- system.file("extimg/example.png", package = "resmush")

# For the example, copy to a temporary file
tmp_png <- tempfile(fileext = ".png")

file.copy(png_file, tmp_png, overwrite = TRUE)

resmush_file(tmp_png)

# Several paths
jpg_file <- system.file("extimg/example.jpg", package = "resmush")
tmp_jpg <- tempfile(fileext = ".jpg")

file.copy(jpg_file, tmp_jpg, overwrite = TRUE)

# Output summary in console
summary <- resmush_file(c(tmp_png, tmp_jpg))

# Similar info in an (invisible) data frame as a result
summary

# Display with png
if (require("png", quietly = TRUE)) {
  my_png <- png::readPNG(summary$dest_img[1])
  grid::grid.raster(my_png)
}

# With parameters
resmush_file(tmp_jpg)
resmush_file(tmp_jpg, qlty = 10)
```

Description

Optimize and download an online image using the [reSmush.it API](#).

Usage

```
resmush_url(
  url,
  outfile = file.path(tempdir(), basename(url)),
  overwrite = FALSE,
  progress = TRUE,
  report = TRUE,
  qlty = 92,
  exif_preserve = FALSE
)
```

Arguments

url	url or a vector of urls pointing to hosted image files. reSmush can optimize the following image files: <ul style="list-style-type: none"> • png • jpg/jpeg • gif • bmp • tiff • webp
outfile	Path or paths where the optimized files would be store in your disk. By default, temporary files (see <code>tempfile()</code>) with the same <code>basename()</code> than the file provided in <code>url</code> would be created. It should be of the same length than <code>url</code> parameter.
overwrite	Logical. Should outfile be overwritten (if already exists)? If FALSE and outfile exists it would create a copy with a numerical suffix (i.e. <code><outfile>.png</code> , <code><outfile>_01.png</code> , etc.).
progress	Logical. Display a progress bar when needed.
report	Logical. Display a summary report of the process in the console. See also Value .
qlty	Only affects jpg files. Integer between 0 and 100 indicating the optimization level. For optimal results use vales above 90.
exif_preserve	Logical. Should the Exif information (if any) deleted? Default is to remove (i.e. <code>exif_preserve = FALSE</code>).

Value

Writes on disk the optimized file if the API call is successful. In all cases, a (invisible) data frame with a summary of the process is returned as well.

If any value of the vector `outfile` is duplicated, `resmush_url()` would rename the output with a suffix `_01`. `_02`, etc.

See Also

[reSmush.it API docs](#).

Other functions for optimizing: [resmush_dir\(\)](#), [resmush_file\(\)](#)

Examples

```
# Base url
base_url <- "https://raw.githubusercontent.com/dieghernan/resmush/main/inst/"

png_url <- paste0(base_url, "/extimg/example.png")
resmush_url(png_url)

# Several urls
jpg_url <- paste0(base_url, "/extimg/example.jpg")

summary <- resmush_url(c(png_url, jpg_url))

# Returns an (invisible) data frame with a summary of the process
summary

# Display with png
if (require("png", quietly = TRUE)) {
  my_png <- png::readPNG(summary$dest_img[1])
  grid::grid.raster(my_png)
}

# Use with jpg and parameters
resmush_url(jpg_url)
resmush_url(jpg_url, qlty = 10)
```

Index

* **optimize**

- resmush_dir, 2
- resmush_file, 4
- resmush_url, 5

basename(), 6

list.files(), 2

regex, 2

resmush_clean_dir(), 3, 5

resmush_dir, 2, 5, 7

resmush_file, 2, 3, 4, 7

resmush_url, 3, 5, 5

tempfile(), 6